Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time S	stamp	_
L1	V 9	(US-20010033583-\$).did. or (US-5404400-\$ or US-5815682-\$ or US-5835578-\$ or US-5870458-\$ or US-6175576-\$ or US-6205214-\$ or US-6580788-\$ or	US-PGPUB; USPAT	OR	OFF	2004/1	1/16 0	7:01
		US-6633545-\$).did.						
L2	85457	telephone ADJ2 number\$1 OR telephone\$1number\$1 OR phone ADJ2 number\$1 OR phone\$1number\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/1	.1/16 0	7:03
L 3	715	classif\$6 SAME L2	US-PGPUB; USPAT; EPO; JPO; DERWENT;	OR	OFF	2004/1	1/16 0	9:04
			IBM_TDB			áricla.		
L4	√ 229	L3 AND ("370"/\$6.ccls. OR "455"/\$6.ccls. OR "709"/\$6. ccls. OR "340"/\$6.ccls. OR "707"/\$6.ccls. OR "375"/\$6. ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/1	.1/16 0	9:04
L5	1835	scan\$3 SAME L2	US-PGPUB; USPAT;	OR	OFF	2004/1	1/16 0	9:04
3, 3			EPO; JPO; DERWENT;					
L6	/416	L5 AND ("370"/\$6.ccls. OR	IBM TDB US-PGPUB;	OR	OFF	2004/1	.1/16 1	3 - 18
До	V 410	"455"/\$6.ccls. OR "709"/\$6. ccls. OR "340"/\$6.ccls. OR "707"/\$6.ccls. OR "375"/\$6. ccls.)	USPAT; EPO; JPO; DERWENT; IBM_TDB			2001/1	.1, 10 1	3.10
L 7	304	379/112.01.ccls.	US-PGPUB; USPAT;	OR	OFF	2004/1	1/16 1	0:40
			EPO; JPO; DERWENT; IBM TDB					
L8	V 114	379/112.06.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	OFF	2004/1	.1/16 1	1:50
L9	5912	709/223-224.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT;	OR	OFF	2004/1	1/16 1	1:51
1.27	~		IBM_TDB			+ 45 J		and della
L10	V 655	L9 AND L2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/1	.1/16 1	1:53
L11	340	L9 AND L2 AND modem\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/1	1/16_1	2:46
L12	5452	370/241-253.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/1	1/16 1	2:46

L13	√ 272	L12 AND L2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/16 13:18
S1	173	(fax\$3 OR facsimile\$1) WITH (baud\$1 OR baud\$1rate\$1)	US-PGPUB; USPAT; EPO; JPO;	OR	OFF	2004/04/23_13:47
			DERWENT; IBM_TDB			
S3	98	("1000" OR "1,000" OR (one ADJ1 thousand\$1) OR one\$1thousand\$1) WITH (baud\$1 OR baud\$1rate\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/23 13:33
S4	473	("1000" OR "1,000" OR (one ADJ1 thousand\$1) OR one\$1thousand\$1) SAME (fax\$3 OR facsimile\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/23_13:34
S5	212	("1000" OR "1,000" OR (one ADJ1 thousand\$1) OR one\$1thousand\$1) WITH (fax\$3 OR facsimile\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/23 13:44
S6	869-	("1000" OR "1,000" OR (one ADJ1 thousand\$1) OR one\$1thousand\$1) WITH (bit\$2per\$1second\$1 OR bit\$2/second\$1 OR (bit\$2 ADJ1 per ADJ1 (second\$1 OR sec\$1)) OR \$1bps OR bit\$2per\$1sec\$1 OR bit\$2/sec\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/23 13:47
S7	576	("1000" OR "1,000" OR (one ADJ1 thousand\$1) OR one\$1thousand\$1) NEAR3 (bit\$2per\$1second\$1 OR bit\$2/second\$1 OR (bit\$2 ADJ1 per ADJ1 (second\$1 OR sec\$1)) OR \$1bps OR bit\$2per\$1sec\$1 OR bit\$2/sec\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/23 13:55
S8	88	(fax\$3 OR facsimile\$1) AND S7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/23 13:55
S10	10884	(("1000" OR "1,000" OR (one ADJ1 thousand\$1) OR one\$1thousand\$1) NEAR3 (bit\$2per\$1second\$1 OR bit\$2/second\$1 OR (bit\$2 ADJ1 per ADJ1 (second\$1 OR sec\$1)) OR bps OR bit\$2per\$1sec\$1 OR bbt\$2/sec\$1)) OR kbps	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/23 13:55
S11	2198	(fax\$3 OR facsimile\$1) AND S10	US-PGPUB; USPAT; EPO; JPO; DERWENT;	OR	OFF	2004/04/23 13:56
			IBM_TDB			

S12	478	(fax\$3 OR facsimile\$1) SAME	US-PGPUB;	OR	OFF	2004/04/23 13:56
		S10	USPAT; EPO; JPO; DERWENT; IBM_TDB			
S13	286	(fax\$3 OR facsimile\$1) WITH	US-PGPUB;	OR	OFF	2004/04/23 14:06
		S10	USPAT; EPO; JPO;			
			DERWENT; IBM TDB			
S18	798	((fax\$3 OR facsimile\$1) OR	US-PGPUB;	OR	OFF	2004/04/23 14:09
		modem\$1) WITH classif\$6	USPAT; EPO; JPO; DERWENT; IBM_TDB			
S20	2	(((fax\$3 OR facsimile\$1) OR	US-PGPUB;	OR	OFF	2004/04/23 14:38
- 1- 1-1	erie de la	modem\$1) WITH classif\$6) SAME (baud OR baud\$1rate\$1)	USPAT; EPO; JPO;			
			DERWENT; IBM TDB			
S22	115	S18 AND ("370"/\$6.ccls. OR	US-PGPUB;	OR	OFF	2004/04/23 14:22
		"379"/\$6.ccls.)	USPAT; EPO; JPO;			,
			DERWENT; IBM_TDB			
S23	21	(((fax\$3 OR facsimile\$1) AND modem\$1) WITH classif\$6)	US-PGPUB; USPAT;	OR	OFF	2004/04/23 14:47
		modemor, with classify,	EPO; JPO;			
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			DERWENT; IBM_TDB			
S25	774	(fax\$3 OR facsimile\$1) WITH	US-PGPUB;	OR	OFF	2004/04/23 14:49
,		(negotiat\$4 OR auto\$1negotiat\$4 OR	USPAT; EPO; JPO;			
		hand\$1shak\$3 OR (hand ADJ1 shak\$3))	DERWENT; IBM TDB			
S26	45	((fax\$3 OR facsimile\$1) WITH	US-PGPUB;	OR	OFF	2004/04/23 14:57
		(negotiat\$4 OR auto\$1negotiat\$4 OR	USPAT; EPO; JPO;			
** *** **		hand\$1shak\$3 OR (hand ADJ1 shak\$3))) SAME	DERWENT; IBM TDB			
1 1		(bit\$2per\$1second\$1 OR				
* :		bit\$2/second\$1 OR (bit\$2 ADJ1 per ADJ1 (second\$1 OR				
		sec\$1)) OR bps OR bit\$2per\$1sec\$1 OR				
		bit\$2/sec\$1 OR kbps)				
S27	123	(modem\$1 WITH (negotiat\$4 OR auto\$1negotiat\$4 OR	US-PGPUB; USPAT;	OR	OFF	2004/04/23 15:07
		hand\$1shak\$3 OR (hand ADJ1	EPO; JPO;			
		shak\$3))) SAME (bit\$2per\$1second\$1 OR	DERWENT; IBM_TDB			
		bit\$2/second\$1 OR (bit\$2 ADJ1 per ADJ1 (second\$1 OR	_			
		sec\$1)) OR bps OR	4			
		bit\$2per\$1sec\$1 OR bit\$2/sec\$1 OR kbps)				
			L	<u> </u>	·	L

					0.22	2004/04/22 75 25
S28	. 23	(modem\$1 SAME (fax\$3 OR facsimile\$1) SAME (negotiat\$4 OR	US-PGPUB; USPAT; EPO; JPO;	OR	OFF	2004/04/23 15:07
		auto\$1negotiat\$4 OR hand\$1shak\$3 OR (hand ADJ1	DERWENT; IBM TDB			,
		shak\$3))) SAME (bit\$2per\$1second\$1 OR	-			
		bit\$2/second\$1 OR (bit\$2				
		ADJ1 per ADJ1 (second\$1 OR sec\$1)) OR bps OR				
		bit\$2per\$1sec\$1 OR bit\$2/sec\$1 OR kbps)				
S29	41142	wu in. OR tsai in.	US-PGPUB; USPAT;	OR	OFF	2004/01/12_08:58
			EPO; JPO;			
164	p.Cl=		DERWENT; IBM_TDB			
S30		ying-li-wu.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	OFF	2004/01/12 09:01
S31		louis-tsai.in.	US-PGPUB;	OR	OFF	2004/01/12 09:01
			USPAT; EPO; JPO;			
			DERWENT;			
S32	136	(wu.in. OR tsai.in.) AND	IBM_TDB US-PGPUB;	OR	OFF	2004/01/12 09:03
532	136	(class\$8 WITH number\$1)	USPAT;	·	OFF	2004/01/12 09:03
			EPO; JPO; DERWENT; IBM_TDB			
S33	11	(wu.in. OR tsai.in.) AND (class\$8 WITH number\$1) AND	US-PGPUB; USPAT;	OR	OFF	2004/01/12 09:03
4	rla.	("370"/\$6.cclsOR "455"/\$6.	EPO; JPO;	Paramer design	a matri	
		ccls. OR "379"/\$6.ccls.)	DERWENT; IBM_TDB			
S34	40919	class\$8 WITH number\$1	US-PGPUB;	OR	OFF	2004/01/12 09:13
			USPAT; EPO; JPO; DERWENT; IBM TDB			·
S35	196730	((telephon\$5 OR line\$1 OR	US-PGPUB;	OR	OFF	2004/01/12 09:14
		phone\$1 OR subscrib\$5) NEAR2 number\$1)	USPAT; EPO; JPO;		ewyddiaddiaddiaddiaddiaddiaddiaddiaddiaddi	
			DERWENT; IBM_TDB			
S36	1695	class\$8 WITH ((telephon\$5 OR line\$1 OR phone\$1 OR subscrib\$5) NEAR2 number\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/12 09:20
S37	2	"5815682".pn. OR "5870458". pn.	USPAT	OR	OFF	2004/01/12 11:25
S38	888	<pre>classif\$8 WITH ((telephon\$5 OR line\$1 OR phone\$1 OR subscrib\$5) NEAR2 number\$1)</pre>	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/12 09:20
S39	252	classif\$8 WITH ((telephon\$5	US-PGPUB;	OR	OFF	2004/01/12 10:46
		OR line\$1 OR phone\$1 OR subscrib\$5) NEAR2 number\$1)	USPAT; EPO; JPO;	1 - 1	į.	
'	-	AND ("370"/\$6.ccls. OR "455"/\$6.ccls. OR "379"/\$6.	DERWENT; IBM TDB			
*		ccls. OR "710"/\$6.ccls.)			1	

S40 174056	type\$1 WITH (((telephon\$5 OR line\$1 OR phone\$1 OR subscrib\$5) NEAR2 number\$1) OR connection\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/12 10:51
S41 657	(competitiv\$3 ADJ1 local ADJ1 exchang\$3 ADJ1 carrier\$1) OR CLEC\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	OFF	2004/01/12 10:53
S42 15392	<pre>type\$1 WITH ((telephon\$5 OR line\$1 OR phone\$1 OR subscrib\$5) NEAR2 (number\$1 OR connection\$1))</pre>	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/12 10:52
S43 78	((competitiv\$3 ADJ1 local ADJ1 exchang\$3 ADJ1 carrier\$1) OR CLEC\$1) AND (type\$1 WITH ((telephon\$5 OR line\$1 OR phone\$1 OR subscrib\$5) NEAR2 (number\$1 OR connection\$1)))	US-PGPUB; USPAT; EPO; UPO; DERWENT; IBM TDB	OR	OFF	2004/01/12 10:52
S44 936	number SAME (type\$1 OR classif\$8) SAME ((modem\$1 AND fax\$3) OR (modem\$1 AND facsimile\$1) OR (modem\$1 AND voice\$1) OR (modem\$1 AND ISDN\$1))	USPAT	OR	OFF	2004/01/12 11:28
S45 325	(number WITH (type\$1 OR classif\$8)) SAME ((modem\$1 AND fax\$3) OR (modem\$1 AND facsimile\$1) OR (modem\$1 AND voice\$1) OR (modem\$1 AND ISDN\$1))	USPAT	OR	OFF	2004/01/12 13:21
S46 34	number SAME ((exchange ADJ1 carrier\$1) OR CLEC) SAME ((modem\$1 AND fax\$3) OR (modem\$1 AND facsimile\$1) OR (modem\$1 AND voice\$1) OR (modem\$1 AND ISDN\$1))	USPAT	OR	OFF	2004/01/12 12:50
S47 14	("4197427" "4291200" "4907256" "5490199" "5712908" "5854835" "5905785" "5946386" "6011838" "6259778" "6282267" "6298123" "6351453" "6415024") PN	USPAT	OR	OFF	2004/01/12 12:57
S48 2	("5471522" "5499287").PN.	USPAT	OR	OFF	2004/01/12 13:06
S49 2	"5870458" URPN.	USPAT	OR	OFF	2004/01/12 13:06
S50 11	("3754217" "4292669" "4293928" "5038320" "5202899" "5202963" "5459867" "5530887" "5530895" "5548759" "5574888").PN.	USPAT	OR	OFF	2004/01/12 13:07
S51 10	"5815682".URPN.	USPAT	OR	OFF	2004/01/12 13:10
S52 14	("5153907" "5392344" "5550912" "5574783" "5606600" "5689555" "5696816" "5703938" "5712908" "5809121" "5903639" "5970130" "6035029" "6038227").PN.	USPAT	OR	OFF	2004/01/12 13:14

S53	4870	<pre>(type\$1 OR classif\$8) SAME ((modem\$1 AND fax\$3) OR (modem\$1 AND facsimile\$1) OR (modem\$1 AND voice\$1) OR (modem\$1 AND ISDN\$1))</pre>	USPAT	OR	OFF	2004/01/12 13:21
S54	82	classif\$8 SAME ((modem\$1 AND fax\$3) OR (modem\$1 AND facsimile\$1) OR (modem\$1 AND voice\$1) OR (modem\$1 AND ISDN\$1)	USPAT	OR	OFF	2004/01/12 13:50
S55	445	type\$1 SAME ((modem\$1 AND fax\$3) OR (modem\$1 AND facsimile\$1) OR (modem\$1 AND voice\$1) OR (modem\$1 AND ISDN\$1)) SAME (database\$1 OR list\$1 OR table\$1)	USPAT	OR	OFF	2004/01/12 13:51
S56	245	type\$1 SAME ((modem\$1 AND fax\$3) OR (modem\$1 AND facsimile\$1) OR (modem\$1 AND voice\$1) OR (modem\$1 AND ISDN\$1)) SAME (database\$1 OR list\$1 OR table\$1) AND ("370"/\$6.ccls. OR "455"/\$6.ccls. OR "379"/\$6.ccls. OR "710"/\$6.ccls.)	USPAT	OR-	OFF	2004/01/12 14:26
S57	409	number\$1 SAME ((modem\$1 AND fax\$3) OR (modem\$1 AND facsimile\$1) OR (modem\$1 AND voice\$1) OR (modem\$1 AND ISDN\$1)) SAME (database\$1 OR list\$1 OR table\$1) AND ("370"/\$6.ccls. OR "455"/\$6.ccls. OR "379"/\$6.ccls. OR "710"/\$6.ccls.)	USPAT	OR	OFF	2004/01/12 15:29
S58	1 A5.c	"5436965".pn.	USPAT	OR	OFF	2004/01/12 15:30
S59	1	"5404400".pn.	USPAT	OR	OFF	2004/01/12 15:39
S60	5.	("4941168" "5086458" "5164981" "5179585" "5241587").PN.	USPAT	OR	OFF:	-2004/01/12 15:31
S61	17		USPAT	OR	OFF	2004/01/12 15:31
S62	54	hamilton.in. AND "379"/\$6. ccls.	US-PGPUB; USPAT; EPO; JPO;	OR	OFF	2004/01/12 15:40
			DERWENT; IBM_TDB			
S63	26	("3903378" "3989907" "5117417" "5347566" "5390239" "5430793" "5673290" "5678198" "5701292" "5751802" "5778049" "5784406" "5793751" "5796723" "5805577" "5805668" "5822374" "5828748" "5841841" "5864541" "5867483" "6091713" "6292515" "6292539" "6345071" "6393051").PN.	USPAT	OR	OFF	2004/01/12 16:20
S64	1873	(select\$5 NEAR4 (modem\$1 OR analog\$2 OR fax\$3 OR facsimil\$3)) SAME rate\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT;	OR	OFF	2004/01/12 18:55
<u> </u>		The second	IBM_TDB	7		

S65	868	(select\$5 NEAR4 (modem\$1 OR analog\$2 OR fax\$3 OR facsimil\$3)) WITH rate\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/12 18:55
S66	382	(select\$5 NEAR4 (modem\$1 OR fax\$3 OR facsimil\$3)) WITH rate\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB			2004/01/12 19:14
S67	958	modem\$1 SAME (fax\$3 OR facsimil\$3) SAME rate\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/12 19:14
S68	274	(modem\$1 SAME (fax\$3 OR facsimil\$3) SAME rate\$1) AND (modem\$1 WITH analog\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/12 19:15